




MANUFACTURED IN CANADA



#### **EXTRA GRIP WHEN YOU NEED IT.**

Featuring a 28 inch single pivoting jaw capable of opening up to 14 inches wide, the TRP2814 is a versatile tool for arborists, farmers, landscapers, and anyone looking to remove brush and trees. The open plate design offers superior operator visibility, while the guard frame keeps branches safely away from the cab. It's the perfect combination of quality, affordability and functionality.

Serrated teeth make for a strong hold and quick work of stumps, roots, and entire trees while allowing for the operator to shake out excess dirt for refilling holes.

For more information contact Reist Industries.





The aggressive teeth grip trees and shrubs firmly.



#### **PIVOTING JAW**

To ensure maximum clamping power one side of the jaw is fixed.



#### **HYDRAULIC CLAMPING**

The hydraulics provide up to 21,000 lbs of clamping force at 3,000 PSI.



#### **HOSE WRAP**

A protective wrap keeps your hoses safe when grappling.

# OPTIONS

### **GUARD (TRPGF)**


An optional bolt on guard frame provides protection for your power unit as well as helps manage the load.



### **GUARD INSERT (TRPGR)**

The guard insert option adds additional protection reducing the amount of poke through from branches.

Requires optional Guard.



# **SPECIFICATIONS**



Model TRP2814 (Shown w	ith optional	guard & guard	insert)

Tree Puller	TRP2814
Max Jaw Opening (inches)	14
Jaw Material (inches)	½" AR400
Max. Cylinder Force	21,000 LBS
Cylinder Diameter (inches)	3
Greasable Jaw Pivot Pins (inches)	1.5"
Overall Width (inches)	51.25"
Overal Length (inches)	35.25"
Overall Height (inches)	20.5"
Machine Weight (lbs)	350
Max Continuous Operating Pressure (PSI)	3,000
Minimum GPM	10

Tree Puller Options	Description
TRPGF	GUARD
TRPGR	GUARD INSERT (REQUIRES GUARD)

## **CHECK OUT THESE OTHER PRODUCTS MANUFACTURED BY REIST**







#### **Reist Industries**

100 Union Street Elmira, Ontario, Canada N3B 3L7

Phone: 519-669-1501 Toll Free: 1-877-467-3478 www.reistindustries.com



